

8.0 REFERENCES

- Bernhard, A. E. and K. G. Field (2000). "A PCR assay to discriminate human and ruminant feces on the basis of host differences in *Bacteroides-Prevotella* genes encoding 16S rRNA." *Appl Environ Microbiol* **66**(10): 4571-4574.
- [BRA] Brazos River Authority, 2007. Lake Granbury Watershed Septic Tracer, Circulation Study, and Additional Water Quality Sampling Quality Assurance Project Plan (QAPP). Revision 2.
- Casarez, E. A., S. D. Pillai, et al. (2007). "Direct comparison of four bacterial source tracking methods and a novel use of composite data sets." *J Appl Microbiol* **103**(2): 350–364.
- [COA] City of Austin (2007). Environmental Criteria Manual, City of Austin, Texas, 1990. http://www.amlegal.com/austin_techmanuals/
- CRWR Online Report, Corpus Christi, 1996. Characterization of nonpoint sources and loadings to the Corpus Christi Bay National Estuary Program Study Area (CCBNEP), 1996. Corpus Christi Bay National Estuary Program CCBNEP-05
- Dick, L. K., A. E. Bernhard, et al. (2005). "Host distributions of uncultivated fecal *Bacteroidales* bacteria reveal genetic markers for fecal source identification." *Appl Environ Microbiol* **71**(6): 3184-3191.
- [EC] Espey Consultants, Inc. (2007). Lake Granbury Water Quality Modeling Project; Phase 1 – Data trend analysis, modeling overview and recommendations. Prepared for Brazos River Authority, May 2007. (accessed December 9, 2009) http://www.brazos.org/gbWPP/5-22-2007_Granbury_Phase1_ModelingReport.pdf
- Field, K. G., E. C. Chern, et al. (2003). "A comparative study of culture-independent, library-independent genotypic methods of fecal source tracking." *J Water Health* **1**(4): 181-94.
- Goodwin 1991 Tidal-flow, circulation, and flushing changes caused by dredge and fill in Hillsborough Bay, Florida: U.S. Geological Survey Water-Supply Paper 2376, 49 p.
- Neitsch, S.L., J.G. Arnold, Kiniry, J.R., Williams, J.R., King, K.W. 2002. Soil and Water Assessment Tool theoretical documentation, Texas Water Resources Institute, College Station, Texas.
- Peeters, F., A. Wüest, G. Piepke, and D. M. Imboden. 1996. Horizontal mixing in lakes. *J. Geophys. Res* 101:18361–18375.
- Riebschleager, K. J., 2008. Development and Application of the Spatially Explicit Load Enrichment Calculation Tool (SELECT) to Determine Potential *E. coli* Loads in Watersheds. Unpublished MS thesis. Texas A&M University, Department of Biological and Agricultural Engineering, College Station, Texas.
- SWAT, 2005. Soil and Water Assessment Tool. Texas A&M University, College Station, Texas and USDA Agricultural Research Service: Grassland, Soil and Water Research Laboratory, Temple, Texas. Available at: <http://www.brc.tamus.edu/swat/soft.html> Accessed on: 10 March 2008.
- Teague, A. E., 2007. Spatially Explicit Load Enrichment Calculation Tool and Cluster Analysis for Identification of *E. coli* Sources in Plum Creek Watershed, Texas. Unpublished MS thesis. Texas A&M University, Department of Biological and Agricultural Engineering, College Station, Texas.
- Teague, A., R. Karthikeyan, M. Babar-Sebens, R. Srinivasan, and R. Persyn. 2009. Spatially explicit load enrichment calculation tool to identify *E. coli* sources in watersheds. *Transactions of ASABE*, 52(4): 1109-1120.
- [TAES] Texas AgriLife Extension Service. 2009. Final Report, Onsite Sewage Systems

- Assistance. Submitted to Guadalupe Blanco River Authority as part of the Plum Creek initiative, August 31, 2009.
- Thomann, R.V., Mueller, J.A. 1987. Principles of surface water quality modeling and control. Harper & Row, Publishers, New York.
- USEPA, 2001. Protocol for Developing Pathogen TMDLs: Source Assessment. 1st ed. EPA841-R-00-002. Ch. 5 pp 1-18. Washington, D.C.:USEPA Office of Water.
- USEPA (2005). Method 1603: *Escherichia coli* (*E. coli*) in water by membrane filtration using modified membrane-thermotolerant *Escherichia coli* agar (Modified mTEC). Washington, DC, Office of Research and Development, Government Printing Office.
- [USGS] United States Geological Survey. 2002. Using dye-tracing and chemical analyses to determine effects of a wastewater discharge to Jam Up Creek on Water Quality of Big Spring, Southeastern Missouri, 2001. USGS Fact Sheet 103-02, October 2002. Jeffrey Imes and Brian Fredrick.
- Versalovic, J., M. Schneider, et al. (1994). "Genomic fingerprinting of bacteria using repetitive sequence-based polymerase chain reaction." Meth. Mol. Cell. Biol. **5**: 25-40.
- Ward, GH. 1985. Dye diffusion experience in the Texas Bays: Low-Wave conditions. Journal of Geophysical Research 90(C3): 4959-4968. May 20, 1985.
- Williams-Sether, T., Asquith, W.H., Thompson, D.B., Cleveland, T.G., Fang, X. 2004. Empirical, dimensionless, cumulative-rainfall hyetographs developed from 1959-86 storm data for selected small watersheds in Texas: U.S. Geological Survey Scientific Investigations Report 2004-5075.

- Appendix **A** – **LGWPPSC Bylaws**
- Appendix **B** – **Land use summary**
- Appendix **C** – **Data collection**
- Appendix **D** – **SELECT modeling**
- Appendix **E** – **Lake/cove modeling**
- Appendix **F** – **Management measure evaluation**
- Appendix **G** – **Potential funding sources**